




**2016
CA RESIDENTIAL CODE
R310.1 & R310.2**

**Maximum Sized Rescue or Escape
Windows From Sleeping Rooms**



R310.1 Emergency escape and rescue opening required. Basements, habitable attics and every sleeping room shall have not less than one operable emergency escape and rescue opening. Where basements contain one or more sleeping rooms, an emergency escape and rescue opening shall be required in each sleeping room. Emergency escape and rescue openings shall open directly into a public way, or to a yard or court that opens to the public way.

R310.2.1 Minimum opening area. The minimum net clear openings for emergency escape and rescue grade-floor or below grade openings shall be **five** (5 sq. ft.) square feet.

FIG. 21




TABLE 8 BEDROOM WINDOW EGRESS: MIN. HEIGHT & WIDTH FOR 5.7 SQ. FT. OPENING SIZE (IN.)

Width	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31	31 1/2	32	32 1/2	33	33 1/2	34
Height	41	40	39 1/2	38 1/2	37 1/2	36 1/2	35 1/2	35	34 1/2	33 1/2	33	32 1/2	31	31	30 1/2	30	29 1/2	29	28 1/2	28	27 1/2	27	26 1/2	26 1/2	25 1/2	25 1/2	25	24 1/2	24

TABLE 9 BEDROOM WINDOW EGRESS FOR 5.0 SQ. FT. OPENING: GRADE-FLOOR OPENINGS ONLY (IN.)

Width	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30
Height	36	35	34 1/2	33 1/2	33	32	31 1/2	31	30	29 1/2	29	28 1/2	28	27 1/2	27	26 1/2	26	25 1/2	25	24 1/2	24